


Monoclonal Antibody to Equine IFN- γ

PF647P CONJUGATED

| | |
|----------------------|--|
| Antibody: | MT166 |
| Product code: | 3117-72-100T |
| Size: | 100 tests |
| Immunogen: | Recombinant equine IFN- γ |
| Isotype: | Mouse IgG2a |
| Specificity: | Native and recombinant IFN- γ from horse. |
| Contents: | Ready-to-use solution of conjugated antibody in sterile filtered (0.2 μ m) PBS with 0.2% BSA and 0.09% sodium azide. |
| Purification: | Purified from <i>in vitro</i> cultures by protein G affinity chromatography. |
| Conjugation: | The MT166 antibody has been conjugated to PF647P. |
| Storage: | Store product at 4-8°C or frozen at -20°C or below. Avoid repeated freezing/thawing. |
| Applications: | Detection of equine IFN- γ producing cells by flow cytometry. 5 μ l is recommended for staining of 1 million cells in a total volume of 50 μ l. |

PF647P is excited by the red laser (633 nm). The excitation max is 654 nm and the emission max is 672 nm.



Detection of IFN- γ by flow cytometry in viable equine PBMC. Cells were stimulated for 16 hours in the presence of PMA/ionomycin and Brefeldin A. Cells were then fixed and permeabilized using 4% paraformaldehyde and saponin, and subsequently stained with MT166-PF647P (solid line). Matched isotype control antibody (dashed line). The histogram derives from gated events of typical lymphocyte characteristics in forward and side light scatter. Flow cytometry was performed on a BD FACSVerser system.

MABTECH

Note; for research use only.

Mabtech shall not be liable for the use or handling of the product or for consequential, special, indirect or incidental damages therefrom.

Mabtech AB (Head Office)
Sweden
Tel: +46 8 716 27 00
mabtech@mabtech.com

Updated on 2020-03-13

Mabtech, Inc.
USA
Tel: +1 513 871-4500
mabtech.usa@mabtech.com



Developed and manufactured by MABTECH AB, Sweden, whose quality management system complies with the standards ISO 9001:2015 & ISO 13485:2016.

www.mabtech.com