

Product Datasheet

ELISpot PVDF plates, w/o underdrain

Product code:	3654-EP-10
Contents:	Contains 10 PVDF membrane ELIIP plates without underdrain (MAIPSWU10 from Millipore).
Applications:	ELISpot assay
Instructions:	To obtain maximal antibody binding capacity, the plates need to first be pre-treated, i.e. activated, with ethanol. Remove the ELISpot plate from the package and activate the membrane by adding 70% ethanol, 50 µl per well for maximum 2 minutes. Wash plate 5 times with sterile water, 200 µl/well, and proceed according to ELISpot protocol. Once activated, it is essential that the membrane is not allowed to dry during the ELISpot procedure.
Storage:	Shipped at ambient temperature. Store plates at room temperature upon receipt.



Note; for research use only.

Mabtech shall not be liable for the use or handling of the product or for consequential, special, indirect or incidental damages therefrom.

Mabtech AB (Head Office)
Sweden
Tel: +46 8 716 27 00
mabtech@mabtech.com

Mabtech, Inc.
USA
Tel: +1 513 871-4500
mabtech.usa@mabtech.com

Updated on 2022-05-31



Developed and manufactured by MABTECH AB, Sweden, whose quality management system complies with the standards ISO 9001:2015 & ISO 13485:2016.

www.mabtech.com