

# Human IL-22 FluoroSpot<sup>BASIC</sup> (550)

PRODUCT CODE: FS1-18-550

<b>Capture antibody:</b>	mAb MT12A3, 0.5 mg/ml (1200 µl)
<b>Detection antibody:</b>	mAb MT7B27, biotinylated, 0.5 mg/ml (50 µl)
<b>Fluorophore conjugate:</b>	SA-550 (240 µl)
<b>Fluorescence enhancer:</b>	Ready-to-use Fluorescence enhancer-II (25 ml)
<b>Supplied in:</b>	Monoclonal antibodies are supplied in sterile filtered (0.2 µm) PBS with 0.02% sodium azide. Streptavidin-conjugate SA-550 and the Fluorescence enhancer contain 0.002% Kathon CG.
<b>Quantity:</b>	Reagents for 4 plates
<b>Storage:</b>	Shipped at ambient temperature. On arrival, store product refrigerated at 4-8°C.
<b>Specificity:</b>	Human IL-22
<b>Applications:</b>	For enumeration of IL-22 secreting cells using FluoroSpot. Please find the recommended assay conditions below.
<b>Analysis:</b>	A FluoroSpot reader equipped with a filter for Cy3 (excitation 550 nm/emission 570 nm) is recommended for analysis.
<b>Protocols:</b>	General protocol for the FluoroSpot assay is provided in the package and is also available at <a href="http://www.mabtech.com/fluorospot-protocol">www.mabtech.com/fluorospot-protocol</a> .

**Assay conditions:** Reagents should not be diluted in advance

<b>Capture antibody</b>	MT12A3	Dilute to 15 µg/ml
<b>Detection antibody</b>	MT7B27, biotinylated	Dilute to 0.5 µg/ml
<b>Fluorophore conjugate</b>	SA-550	Dilute 1:200
<b>Fluorescence enhancer</b>	Fluorescence enhancer-II	50 µl/well
<b>Cell incubation time</b>	18-72 hours in the plate	
<b>Recommended positive controls</b>	Anti-CD3 mAb (mAb CD3-2 product code 3605-1-50) or PHA (1-10 µg/ml)	

# MABTECH

Note; for research use only.

Mabtech shall not be liable for the use or handling of the product or for consequential, special, indirect or incidental damages therefrom.



Developed and manufactured by MABTECH AB, Sweden, whose quality management system complies with the above standards.

Mabtech AB (Head Office)  
Sweden  
Tel +46 8 716 27 00  
[mabtech@mabtech.com](mailto:mabtech@mabtech.com)  
Augustendalstorget 9  
SE - 131 52 Nacka Strand

Mabtech Inc.  
USA  
Tel: +1 513 871-4500  
[mabtech.usa@mabtech.com](mailto:mabtech.usa@mabtech.com)

Mabtech AB, Büro Deutschland  
Germany  
Tel: +49 40 4135 7935  
[mabtech.de@mabtech.com](mailto:mabtech.de@mabtech.com)

Mabtech AB, Bureau de liaison  
France  
Tel: +33 (0)4 92 38 80 70  
[mabtech.fr@mabtech.com](mailto:mabtech.fr@mabtech.com)

Mabtech Australia Pty Ltd  
Australia  
Tel: +61 3 9470 4704  
[mabtech.au@mabtech.com](mailto:mabtech.au@mabtech.com)